ELSEVIER

Journal of Inorganic Biochemistry 84 (2001) 301

JOURNAL OF Inorganic Biochemistry

www.elsevier.nl/locate/jinorgbio

Author Index of Volume 84

Adorante, J., 113
Aldrich-Wright, J.R., 191
Allain, P., 129
Alvarez Díaz, A., 271
Alves de Sousa, R., 207
Arriortua, M.I., 271
Artaud, I., 207
Ascenzi, P., 293

Baird, M.C., 159
Bal, W., 77, 189
Barreto, S.R.G., 89
Barreto, W.J., 89
Benyumov, A., 241
Bonomo, R.P., 179
Borrás, J., 163
Boyles, J.R., 159
Brasuñ, J., 77
Bromberg, N., 279
Buglyó, P., 259

Cailleux, A., 129
Calvo, R., 201
Campling, B.G., 159
Carrasco, J., 287
Casado, N.M.C., 201
Castiñeiras, A., 163
Champmartin, D., 13
Coletta, M., 293
Costa, M., 47
Costa Pessoa, J., 259
Criado, J.J., 287
Cutts, S.M., 191

DeOliveira, L.F.C., 89
Doležal, K., 23
Douglas, T., 233
Du, X., 67
Durán, N., 279

El-Mehasseb, I.M., 157
Exley, C., 215

Falini, G., 255
Fasano, M., 293
Felemez, M., 107
Fermani, S., 255
Fry, S.C., 179

García-Orad, A., 271
García-Tojal, J., 271
Gatner, K., 189
Ghosh, P., 241
Ghosh, S., 241
Gómez-Coca, R.B., 39
González-Vílchez, F., 39
Grant Collins, J., 191
Gu, Q.-P., 151

Henderson, W., 225
Heudi, O., 129
Holý, A., 39
Hynes, M.J., 1

Ikezaki, A., 137
Isaacson, R.A., 201
Ishikawa, M., 55

Jain, N., 159
Jairam, R., 113
Jezierski, A., 189
Jeżowska-Bojczuk, M., 77, 189
Jones, L., 145

Kao, C.-H., 171
Kapinos, L.E., 39
Karaliota, A., 33
Kasuga, N.C., 55
Kim, J.H., 145
Kiss, T., 13
Kiss, T., 259
Knör, G., 297
Kodaka, M., 157
Korchazhkina, O.V., 215
Koumo, C., 55
Kowalik-Jankowska, T., 47
Kozłowski, H., 77
Kozlowski, H., 47
Kretsi, O., 33
Krężel, A., 77
Kryštof, V., 23
Kunz, A., 279

Lakatos, A., 13
Lau, M.L., 113
Leduc, P., 207
Lee, C.-J., 171
Lee, G.-H., 171
Leśniak, W., 77
Leśniak, W., 189
Li, R., 67
Liu, Y.-H., 171

Macías, B., 163
Macías, R.I.R., 287
Maloň, M., 23
Mangrich, A.S., 89
Mansuy, D., 207
Manzano, J.L., 287
Marek, J., 23
Marín, J.J.G., 287
Mattu, M., 293
Medarde, M., 287
Miles, C.O., 225
Młynarz, P., 77
Mohamadin, A.M., 97

Nakamura, M., 137
Narla, R.K., 241
Navara, C., 241
Nedoluzhko, A., 233
Nicholson, B.K., 225
Nomiya, K., 55

Ó'Coinceanainn, M., 1
Odutola, J.A., 145
Okada, T., 157
Okamoto, K.-i., 157
Okuno, H., 157

Paschoal, F.M.M., 89
Phillips, D.R., 191
Popham, J., 145
Potvin, P.G., 113

Rat, M., 207
Ripamonti, A., 255
Rodríguez, E., 287
Rojo, T., 271
Rolčík, J., 23
Rubini, P., 13
Rubio, I., 163

Salnikow, K., 47
Santos, M.A., 89
Schimidt, R., 89
Sekino, K., 55
Serra, J.L., 271
Shimada, N., 55
Sigel, H., 39
Šindelář, Z., 23
Smoluch, M., 189
Spiess, B., 107
Strnad, M., 23
Sun, Y., 151
Szczepanik, W., 189

Tabbì, G., 179
Tomaz, I., 259
Tomohiro, T., 157
Trávníček, Z., 23
Tzougraki, C., 33

Uckun, F.M., 241
Urtiaga, M.K., 271

Vaissermann, J., 207
Vannini, A., 293
Verstraete, S., 129
Vilaplana, R.A., 39
Villa, M.V., 163
von Laven, S., 145

Wang, K., 67
Wang, Yu., 171
Wei, H.-H., 171
Whanger, P.D., 151
Wheate, N.J., 191
Woodcock, J.C., 225

Zhang, T., 67
Zoroddu, M.A., 47

Elsevier Science B.V.
PII: S0162-0134(01)00200-8

ELSEVIER

Journal of Inorganic Biochemistry 84 (2001) 303–307

JOURNAL OF Inorganic Biochemistry

www.elsevier.nl/locate/jinorgbio

Subject Index of Volume 84

Adenosine 5′-monophosphate analogues
intramolecular stacking interactions in ternary copper(II) complexes formed with 2,2′-bipyridine or 1,10-phenanthroline and 9-(4-phosphonobutyl)adenine (dPMEA), the carba relative of the antiviral nucleotide analogue 9-[2-(phosphonomethoxy)ethyl]adenine (PMEA), 39
Aggregation
nature of cerium(III)- and lanthanum(III)-induced aggregation of human erythrocyte membrane proteins, 67
Al(III) complexes
complexes of aluminium(III) with glucose-6-phosphate in aqueous solutions, 13
Aluminium adenosine triphosphate
promotion of formation of amyloid fibrils by aluminium adenosine triphosphate (AlATP), 215
Aluminium(III) complexes
the kinetics and mechanisms of the reactions of aluminium(III) with gallic acid, gallic acid methyl ester and adrenaline, 1
Alzheimer's disease
promotion of formation of amyloid fibrils by aluminium adenosine triphosphate (AlATP), 215
Amidate bridge
EPR study of the electronic properties and weak exchange interactions in bis(L-phenylalaninamidato)Cu(II), 201
Amide
clean oxidation of thiolates to sulfinates in a four-coordinate Co^{III} complex with a mixed carboxamido N–thiolato S donor set: relevance to nitrile hydratase, 207
Amyloid fibrils
promotion of formation of amyloid fibrils by aluminium adenosine triphosphate (AlATP), 215
Amyloidoses
promotion of formation of amyloid fibrils by aluminium adenosine triphosphate (AlATP), 215
Angiogenesis
X-ray structure, solution properties, and biological activity profile of vanadocene(IV) acetylacetonate complex, $[VCp_2(acac)](CF_3SO_3)$: a dual-function anti-cancer agent with anti-angiogenic and anti-mitotic properties, 241
Anti-cancer drugs
enhanced anti-cancer activities of some derivatives of titanocene dichloride, 159
Antimicrobial activities
synthesis, structural characterization and antimicrobial activities of 4- and 6-coordinate nickel(II) complexes with three thiosemicarbazones and semicarbazone ligands, 55
14-aminoacid peptide
Ni(II) and Cu(II) Binding with a 14-aminoacid Sequence of Cap43 protein, TRSRSHTSEGTRSR, 47
Artificial esterases
ester hydrolysis with 2,6-di(pyrazol-3-yl)pyridines and their Co^{II} complexes in homogeneous and micellar media, 113
Ascorbate
ESR study of the non-enzymic scission of xyloglucan by an ascorbate–H_2O_2–copper system: the involvement of the hydroxyl radical and the degradation of ascorbate, 179

Beta-chitin
oriented crystallization of octacalcium phosphate into beta-chitin scaffold, 255
Bezafibrate
effect of bezafibrate and clofibrate on the heme–iron geometry of ferrous nitrosylated heme–human serum albumin: an EPR study, 293
Bile acids
structural characterization and cytostatic activity of chlorobischolylglycinatogold(III), 287
Binding
Ni(II) and Cu(II) Binding with a 14-aminoacid Sequence of Cap43 protein, TRSRSHTSEGTRSR, 47
Binuclear carboxylate copper(II) complexes
synthesis and characterization of a binuclear coumarin-3-carboxylate copper(II) complex, 33
Biogenic amines
investigation of the ternary D-*myo*-inositol 1,2,6-tris(phosphate)–spermine–Zn^{2+} system in solution, 107

Calcification
oriented crystallization of octacalcium phosphate into beta-chitin scaffold, 255
Cancer
structural characterization and cytostatic activity of chlorobischolylglycinatogold(III), 287
X-ray structure, solution properties, and biological activity profile of vanadocene(IV) acetylacetonate complex, $[VCp_2(acac)](CF_3SO_3)$: a dual-function anti-cancer agent with anti-angiogenic and anti-mitotic properties, 241
Cap43
Ni(II) and Cu(II) Binding with a 14-aminoacid Sequence of Cap43 protein, TRSRSHTSEGTRSR, 47
Catecholamines
interruption of the MnO_2 oxidative process on dopamine and L-dopa by the action of $S_2O_3^{2-}$, 89
Catecholase activity
structural correlation of catecholase-like activities of oxy-bridged dinuclear copper(II) complexes, 171
CDK inhibitor
preparation, physicochemical properties and biological activity of copper(II) complexes with 6-(2-chlorobenzylamino)purine (HL_1) or 6-(3-chlorobenzylamino)purine (HL_2). The single-crystal X-ray structure of $[Cu(H^+L_2)_2Cl_3]Cl{\cdot}2H_2O$, 23
CDNA
selenoprotein W in overexpressed and underexpressed rat glial cells in culture, 151
Cerium(III)
nature of cerium(III)- and lanthanum(III)-induced aggregation of human erythrocyte membrane proteins, 67

Elsevier Science B.V.
PII: S0162-0134(01)00201-X

Clofibrate
effect of bezafibrate and clofibrate on the heme–iron geometry of ferrous nitrosylated heme–human serum albumin: an EPR study, 293
Co(II)
ester hydrolysis with 2,6-di(pyrazol-3-yl)pyridines and their Co^{II} complexes in homogeneous and micellar media, 113
Cobalt
clean oxidation of thiolates to sulfinates in a four-coordinate Co^{III} complex with a mixed carboxamido N–thiolato S donor set: relevance to nitrile hydratase, 207
Complexes
investigation of the ternary D-*myo*-inositol 1,2,6-tris(phosphate)–spermine–Zn^{2+} system in solution, 107
Copper
ESR study of the non-enzymic scission of xyloglucan by an ascorbate–H_2O_2–copper system: the involvement of the hydroxyl radical and the degradation of ascorbate, 179
Copper complexes
complexes of Ni(II) and Cu(II) with ofloxacin. Crystal structure of a new Cu(II) ofloxacin complex, 163
structural correlation of catecholase-like activities of oxy-bridged dinuclear copper(II) complexes, 171
Copper(II) complexes
copper(II)–lincomycin: complexation pattern and oxidative activity, 189
preparation, physicochemical properties and biological activity of copper(II) complexes with 6-(2-chlorobenzylamino)purine (HL_1) or 6-(3-chlorobenzylamino)purine (HL_2). The single-crystal X-ray structure of $[Cu(H^+L_2)_2Cl_3]Cl{\cdot}2H_2O$, 23
Coumarin-3-carboxylic acid EPR spectroscopy
synthesis and characterization of a binuclear coumarin-3-carboxylate copper(II) complex, 33
Crystal structure
preparation, physicochemical properties and biological activity of copper(II) complexes with 6-(2-chlorobenzylamino)purine (HL_1) or 6-(3-chlorobenzylamino)purine (HL_2). The single-crystal X-ray structure of $[Cu(H^+L_2)_2Cl_3]Cl{\cdot}2H_2O$, 23
Cu(II)
Ni(II) and Cu(II) Binding with a 14-aminoacid Sequence of Cap43 protein, TRSRSHTSEGTRSR, 47
Cu(II)/Cu(III) redox pair
copper(II)–lincomycin: complexation pattern and oxidative activity, 189
Cytostatic activity
structural characterization and cytostatic activity of chlorobischolylglycinatogold(III), 287
Cytotoxic activity
preparation, physicochemical properties and biological activity of copper(II) complexes with 6-(2-chlorobenzylamino)purine (HL_1) or 6-(3-chlorobenzylamino)purine (HL_2). The single-crystal X-ray structure of $[Cu(H^+L_2)_2Cl_3]Cl{\cdot}2H_2O$, 23
Cytotoxicity
platinum (II) complex with cyclometalating 2-phenylpyridine ligand showing high cytotoxicity against cisplatin-resistant cell, 157

2′-Deoxyguanosine oxidation
copper(II)–lincomycin: complexation pattern and oxidative activity, 189
Dichloroacetonitrile
possible role of hydroxyl radicals in the oxidation of dichloroacetonitrile by Fenton-like reaction, 97
Dinuclear platinum(II) complexes
the binding of $[(en)Pt(\mu\text{-}dpzm)_2Pt(en)]^{4+}$ to G/C-rich regions of DNA, 191
Dipyrazolylpyridines
ester hydrolysis with 2,6-di(pyrazol-3-yl)pyridines and their Co^{II} complexes in homogeneous and micellar media, 113
Dopamine
interruption of the MnO_2 oxidative process on dopamine and L-dopa by the action of $S_2O_3^{2-}$, 89
DTT
coordination of heavy metals by dithiothreitol, a commonly used thiol group protectant, 77

Electrospray mass spectrometry
metal complexes of sporidesmin D and dimethylgliotoxin, investigated by electrospray ionisation mass spectrometry, 225
Enzyme inhibitors
spontaneous nucleophilic addition of hydroxide ions to the *meso*-position of high-valent antimony-oxo porphyrin complexes, 297
EPR
EPR study of the electronic properties and weak exchange interactions in bis(L-phenylalaninamidato)Cu(II), 201
EPR spectroscopic properties
effect of bezafibrate and clofibrate on the heme–iron geometry of ferrous nitrosylated heme–human serum albumin: an EPR study, 293
ESR
ESR study of the non-enzymic scission of xyloglucan by an ascorbate–H_2O_2–copper system: the involvement of the hydroxyl radical and the degradation of ascorbate, 179
Esterolysis
ester hydrolysis with 2,6-di(pyrazol-3-yl)pyridines and their Co^{II} complexes in homogeneous and micellar media, 113
Exchange interaction
EPR study of the electronic properties and weak exchange interactions in bis(L-phenylalaninamidato)Cu(II), 201
Expression vector
selenoprotein W in overexpressed and underexpressed rat glial cells in culture, 151

Fenton-reaction
possible role of hydroxyl radicals in the oxidation of dichloroacetonitrile by Fenton-like reaction, 97
Ferrous nitrosylated heme–human serum albumin
effect of bezafibrate and clofibrate on the heme–iron geometry of ferrous nitrosylated heme–human serum albumin: an EPR study, 293
4- and 6-coordinate Nickel(II) complexes
synthesis, structural characterization and antimicrobial activities of 4- and 6-coordinate nickel(II) complexes with three thiosemicarbazones and semicarbazone ligands, 55
Free radical scavengers
possible role of hydroxyl radicals in the oxidation of dichloroacetonitrile by Fenton-like reaction, 97

Glial cells
selenoprotein W in overexpressed and underexpressed rat glial cells in culture, 151
Gliotoxin
metal complexes of sporidesmin D and dimethylgliotoxin, investigated by electrospray ionisation mass spectrometry, 225
Glucose-6-phosphate
complexes of aluminium(III) with glucose-6-phosphate in aqueous solutions, 13
Guanosine
comparison of the reactivity of oxaliplatin, Pt(diaminocyclohexane)Cl_2 and Pt(diaminocyclohexane[1])$(OH_2)_2^{2+}$ with guanosine and L-methionine, 129

^{1}H NMR spectroscopy
formation of μ-oxo dimer by the reaction of (meso-tetraphenylporphyrinato)iron(III) with various imidazoles, 137

Heavy metal ions
coordination of heavy metals by dithiothreitol, a commonly used thiol group protectant, 77
Heme model compounds
spontaneous nucleophilic addition of hydroxide ions to the *meso*-position of high-valent antimony-oxo porphyrin complexes, 297
Heme–iron geometry
effect of bezafibrate and clofibrate on the heme–iron geometry of ferrous nitrosylated heme–human serum albumin: an EPR study, 293
Horseradish peroxidase
kinetic studies on veratryl alcohol transformation by horseradish peroxidase, 279
Human erythrocytes
nature of cerium(III)- and lanthanum(III)-induced aggregation of human erythrocyte membrane proteins, 67
Hydrogen peroxide
ESR study of the non-enzymic scission of xyloglucan by an ascorbate–H_2O_2–copper system: the involvement of the hydroxyl radical and the degradation of ascorbate, 179
Hydroxyl radical
ESR study of the non-enzymic scission of xyloglucan by an ascorbate–H_2O_2–copper system: the involvement of the hydroxyl radical and the degradation of ascorbate, 179
possible role of hydroxyl radicals in the oxidation of dichloroacetonitrile by Fenton-like reaction, 97

Imidazole
formation of μ-oxo dimer by the reaction of (meso-tetraphenylporphyrinato)iron(III) with various imidazoles, 137
Inositol-phosphates
investigation of the ternary D-*myo*-inositol 1,2,6-tris(phosphate)–spermine–Zn^{2+} system in solution, 107
Intramolecular stack formation
intramolecular stacking interactions in ternary copper(II) complexes formed with 2,2′-bipyridine or 1,10-phenanthroline and 9-(4-phosphonobutyl)adenine (dPMEA), the carba relative of the antiviral nucleotide analogue 9-[2-(phosphonomethoxy)ethyl]adenine (PMEA), 39
Iron(III) porphyrin
formation of μ-oxo dimer by the reaction of (meso-tetraphenylporphyrinato)iron(III) with various imidazoles, 137
Isomeric complex equilibria
intramolecular stacking interactions in ternary copper(II) complexes formed with 2,2′-bipyridine or 1,10-phenanthroline and 9-(4-phosphonobutyl)adenine (dPMEA), the carba relative of the antiviral nucleotide analogue 9-[2-(phosphonomethoxy)ethyl]adenine (PMEA), 39

Kinetic studies
the kinetics and mechanisms of the reactions of aluminium(III) with gallic acid, gallic acid methyl ester and adrenaline, 1
Kinetics
kinetic studies on veratryl alcohol transformation by horseradish peroxidase, 279

L-dopa
interruption of the MnO_2 oxidative process on dopamine and L-dopa by the action of $S_2O_3^{2-}$, 89
Lanthanum(III)
nature of cerium(III)- and lanthanum(III)-induced aggregation of human erythrocyte membrane proteins, 67
Lignin peroxidase
kinetic studies on veratryl alcohol transformation by horseradish peroxidase, 279
Lincomycin
copper(II)–lincomycin: complexation pattern and oxidative activity, 189
Lumazine
tautomeric energetics of xanthine oxidase substrates: xanthine, 2-oxo-6-methylpurine, and lumazine, 145

Manganese
interruption of the MnO_2 oxidative process on dopamine and L-dopa by the action of $S_2O_3^{2-}$, 89
Membrane proteins
nature of cerium(III)- and lanthanum(III)-induced aggregation of human erythrocyte membrane proteins, 67
Metal binding to proteins
ordered association of tobacco mosaic virus in the presence of divalent metal ions, 233
Metal complexes
metal complexes of sporidesmin D and dimethylgliotoxin, investigated by electrospray ionisation mass spectrometry, 225
structural characterization and cytostatic activity of chlorobischolylglycinatogold(III), 287
Metal oxo complexes
spontaneous nucleophilic addition of hydroxide ions to the *meso*-position of high-valent antimony-oxo porphyrin complexes, 297
Metal-induced cross-linking
ordered association of tobacco mosaic virus in the presence of divalent metal ions, 233
Metallic cations
investigation of the ternary D-*myo*-inositol 1,2,6-tris(phosphate)–spermine–Zn^{2+} system in solution, 107
Metallocenes
enhanced anti-cancer activities of some derivatives of titanocene dichloride, 159
Metallomicelles
ester hydrolysis with 2,6-di(pyrazol-3-yl)pyridines and their Co^{II} complexes in homogeneous and micellar media, 113
Methionine
comparison of the reactivity of oxaliplatin, Pt(diaminocyclohexane)Cl_2 and Pt(diaminocyclohexane^1)$(OH_2)_2^{2+}$ with guanosine and L-methionine, 129
Mixed ligand complexes
intramolecular stacking interactions in ternary copper(II) complexes formed with 2,2′-bipyridine or 1,10-phenanthroline and 9-(4-phosphonobutyl)adenine (dPMEA), the carba relative of the antiviral nucleotide analogue 9-[2-(phosphonomethoxy)ethyl]adenine (PMEA), 39
MLCT complexes
interruption of the MnO_2 oxidative process on dopamine and L-dopa by the action of $S_2O_3^{2-}$, 89
Molybdenum
tautomeric energetics of xanthine oxidase substrates: xanthine, 2-oxo-6-methylpurine, and lumazine, 145
Mono-imidazole adduct
formation of μ-oxo dimer by the reaction of (meso-tetraphenylporphyrinato)iron(III) with various imidazoles, 137
Mycotoxin
metal complexes of sporidesmin D and dimethylgliotoxin, investigated by electrospray ionisation mass spectrometry, 225

Ni(II)
Ni(II) and Cu(II) Binding with a 14-aminoacid Sequence of Cap43 protein, TRSRSHTSEGTRSR, 47
Nickel complexes
complexes of Ni(II) and Cu(II) with ofloxacin. Crystal structure of a new Cu(II) ofloxacin complex, 163
Nitrile hydratase
clean oxidation of thiolates to sulfinates in a four-coordinate Co^{III} complex with a mixed carboxamido N–thiolato S donor set: relevance to nitrile hydratase, 207

NMR
complexes of aluminium(III) with glucose-6-phosphate in aqueous solutions, 13
NMR spectroscopy
the binding of $[(en)Pt(\mu\text{-dpzm})_2Pt(en)]^{4+}$ to G/C-rich regions of DNA, 191

Octacalcium phosphate
oriented crystallization of octacalcium phosphate into beta-chitin scaffold, 255
Ofloxacin
complexes of Ni(II) and Cu(II) with ofloxacin. Crystal structure of a new Cu(II) ofloxacin complex, 163
Oligonucleotides
the binding of $[(en)Pt(\mu\text{-dpzm})_2Pt(en)]^{4+}$ to G/C-rich regions of DNA, 191
Overexpressed
selenoprotein W in overexpressed and underexpressed rat glial cells in culture, 151
Oxaliplatin
comparison of the reactivity of oxaliplatin, $Pt(diaminocyclohexane)Cl_2$ and $Pt(diaminocyclohexane^1)(OH_2)_2^{2+}$ with guanosine and L-methionine, 129
Oxaliplatin metabolism
comparison of the reactivity of oxaliplatin, $Pt(diaminocyclohexane)Cl_2$ and $Pt(diaminocyclohexane^1)(OH_2)_2^{2+}$ with guanosine and L-methionine, 129
Oxidation
clean oxidation of thiolates to sulfinates in a four-coordinate Co^{III} complex with a mixed carboxamido N–thiolato S donor set: relevance to nitrile hydratase, 207
possible role of hydroxyl radicals in the oxidation of dichloroacetonitrile by Fenton-like reaction, 97
Oxidized glutathione
the system VO^{2+} + oxidized glutathione: a potentiometric and spectroscopic study, 259
μ-Oxo dimer
formation of μ-oxo dimer by the reaction of (meso-tetraphenylporphyrinato)iron(III) with various imidazoles, 137
2-Oxo-6-methylpurine
tautomeric energetics of xanthine oxidase substrates: xanthine, 2-oxo-6-methylpurine, and lumazine, 145
Oxy atoms
structural correlation of catecholase-like activities of oxy-bridged dinuclear copper(II) complexes, 171

'Paddlewheel' structural types
synthesis and characterization of a binuclear coumarin-3-carboxylate copper(II) complex, 33
PBR322 plasmid cleavage
copper(II)–lincomycin: complexation pattern and oxidative activity, 189
Peroxidase
kinetic studies on veratryl alcohol transformation by horseradish peroxidase, 279
Peroxidation
selenoprotein W in overexpressed and underexpressed rat glial cells in culture, 151
2-Phenylpyridine
platinum (II) complex with cyclometalating 2-phenylpyridine ligand showing high cytotoxicity against cisplatin-resistant cell, 157
Platinum (II) complex
platinum (II) complex with cyclometalating 2-phenylpyridine ligand showing high cytotoxicity against cisplatin-resistant cell, 157
Polyelectrolytes
ordered association of tobacco mosaic virus in the presence of divalent metal ions, 233
Polyphenols
the kinetics and mechanisms of the reactions of aluminium(III) with gallic acid, gallic acid methyl ester and adrenaline, 1
Porphyrins
spontaneous nucleophilic addition of hydroxide ions to the *meso*-position of high-valent antimony-oxo porphyrin complexes, 297
Potentiometry
coordination of heavy metals by dithiothreitol, a commonly used thiol group protectant, 77
copper(II)–lincomycin: complexation pattern and oxidative activity, 189
Protein solubility
ordered association of tobacco mosaic virus in the presence of divalent metal ions, 233
$Pt(dach)Cl_2$ and $Pt(dach)(OH_2)_2^{2+}$
comparison of the reactivity of oxaliplatin, $Pt(diaminocyclohexane)Cl_2$ and $Pt(diaminocyclohexane^1)(OH_2)_2^{2+}$ with guanosine and L-methionine, 129

Quinolones
complexes of Ni(II) and Cu(II) with ofloxacin. Crystal structure of a new Cu(II) ofloxacin complex, 163

Reactivity
comparison of the reactivity of oxaliplatin, $Pt(diaminocyclohexane)Cl_2$ and $Pt(diaminocyclohexane^1)(OH_2)_2^{2+}$ with guanosine and L-methionine, 129
Redox mechanisms
spontaneous nucleophilic addition of hydroxide ions to the *meso*-position of high-valent antimony-oxo porphyrin complexes, 297

Scission
ESR study of the non-enzymic scission of xyloglucan by an ascorbate–H_2O_2–copper system: the involvement of the hydroxyl radical and the degradation of ascorbate, 179
Selenoprotein W
selenoprotein W in overexpressed and underexpressed rat glial cells in culture, 151
Semicarbazone
synthesis, structural characterization and antimicrobial activities of 4- and 6-coordinate nickel(II) complexes with three thiosemicarbazones and semicarbazone ligands, 55
Speciation
complexes of aluminium(III) with glucose-6-phosphate in aqueous solutions, 13
Spectroscopy
coordination of heavy metals by dithiothreitol, a commonly used thiol group protectant, 77
copper(II)–lincomycin: complexation pattern and oxidative activity, 189
Spermine
investigation of the ternary D-*myo*-inositol 1,2,6-tris(phosphate)–spermine–Zn^{2+} system in solution, 107
Spin trapping
ESR study of the non-enzymic scission of xyloglucan by an ascorbate–H_2O_2–copper system: the involvement of the hydroxyl radical and the degradation of ascorbate, 179
Sporidesmin
metal complexes of sporidesmin D and dimethylgliotoxin, investigated by electrospray ionisation mass spectrometry, 225

Stability constants
intramolecular stacking interactions in ternary copper(II) complexes formed with 2,2′-bipyridine or 1,10-phenanthroline and 9-(4-phosphonobutyl)adenine (dPMEA), the carba relative of the antiviral nucleotide analogue 9-[2-(phosphonomethoxy)ethyl]adenine (PMEA), 39
Stoichiometry
the system VO^{2+}+oxidized glutathione: a potentiometric and spectroscopic study, 259
Structure
the system VO^{2+}+oxidized glutathione: a potentiometric and spectroscopic study, 259
Sulfinic
clean oxidation of thiolates to sulfinates in a four-coordinate Co^{III} complex with a mixed carboxamido N–thiolato S donor set: relevance to nitrile hydratase, 207

Thiolate coordination
coordination of heavy metals by dithiothreitol, a commonly used thiol group protectant, 77
Thiosemicarbazones
synthesis, structural characterization and antimicrobial activities of 4- and 6-coordinate nickel(II) complexes with three thiosemicarbazones and semicarbazone ligands, 55
Titanocene dichloride
enhanced anti-cancer activities of some derivatives of titanocene dichloride, 159
Tobacco mosaic virus
ordered association of tobacco mosaic virus in the presence of divalent metal ions, 233
Tridentate ligands
ester hydrolysis with 2,6-di(pyrazol-3-yl)pyridines and their Co^{II} complexes in homogeneous and micellar media, 113

Vanadocene
X-ray structure, solution properties, and biological activity profile of vanadocene(IV) acetylacetonate complex, $[VCp_2(acac)](CF_3SO_3)$: a dual-function anti-cancer agent with anti-angiogenic and anti-mitotic properties, 241
Veratryl alcohol
kinetic studies on veratryl alcohol transformation by horseradish peroxidase, 279
VO^{2+}
the system VO^{2+}+oxidized glutathione: a potentiometric and spectroscopic study, 259

X-ray
X-ray structure, solution properties, and biological activity profile of vanadocene(IV) acetylacetonate complex, $[VCp_2(acac)](CF_3SO_3)$: a dual-function anti-cancer agent with anti-angiogenic and anti-mitotic properties, 241
X-ray crystal structures
synthesis, structural characterization and antimicrobial activities of 4- and 6-coordinate nickel(II) complexes with three thiosemicarbazones and semicarbazone ligands, 55
Xanthine
tautomeric energetics of xanthine oxidase substrates: xanthine, 2-oxo-6-methylpurine, and lumazine, 145
Xanthine oxidase
tautomeric energetics of xanthine oxidase substrates: xanthine, 2-oxo-6-methylpurine, and lumazine, 145
Xyloglucan
ESR study of the non-enzymic scission of xyloglucan by an ascorbate–H_2O_2–copper system: the involvement of the hydroxyl radical and the degradation of ascorbate, 179